

Question	Scheme	Marks	AOs	Notes
<b>3(a)</b>	$v = 12 + 4t - t^2 = 0$ and solving	M1	3.1a	Equating $v$ to 0 and solving the quadratic If no evidence of solving, and at least one answer wrong, M0
	$t = 6$ (or -2)	A1	1.1b	6 but allow -2 as well at this stage
	Differentiate $v$ wrt $t$	M1	1.1a	For differentiation (both powers decreasing by 1)
	$(a = \frac{dv}{dt} =) 4 - 2t$	A1	1.1b	Cao; only need RHS
	When $t = 6$ , $a = -8$ ; Magnitude is $8 \text{ (m s}^{-2}\text{)}$	A1	1.1b	Substitute in $t = 6$ and get $8 \text{ (m s}^{-2}\text{)}$ as the answer . Must be <b>positive</b> . (A0 if two answers given)
		<b>(5)</b>		
<b>(b)</b>	Integrate $v$ wrt $t$	M1	3.1a	For integration (at least two powers increasing by 1)
	$(s =) 12t + 2t^2 - \frac{1}{3}t^3 (+C)$	A1	1.1b	Correct expression (ignore C) only need RHS Must be used in part (b)
	$t = 3 \Rightarrow \text{distance} = 45 \text{ (m)}$	A1	1.1b	Correct distance. Ignore units
		<b>(3)</b>		
<b>(8 marks)</b>				