

Question	Scheme	Marks	AOs
3(a)	$v = 3t - 2t^2 + 14$ and differentiate	M1	3.1a
	$a = \frac{dv}{dt} = 3 - 4t$ or $(7 - 2t) - 2(t + 2)$ using product rule	A1	1.1b
	$3 - 4t = 0$ and solve for t	M1	1.1b
	$t = \frac{3}{4}$ oe	A1	1.1b
		(4)	
3(b)	Solve problem using $v = 0$ to find a value of t $\left(t = \frac{7}{2}\right)$	M1	3.1a
	$v = 3t - 2t^2 + 14$ and integrate	M1	1.1b
	$s = \frac{3t^2}{2} - \frac{2t^3}{3} + 14t$	A1	1.1b
	Substitute $t = \frac{7}{2}$ into their s expression (M0 if using <i>suvat</i>)	M1	1.1b
	$s = \frac{931}{24} = 38\frac{19}{24} = 38.79166\ldots(\text{m})$ Accept 39 or better	A1	1.1b
		(5)	

(9 marks)

Notes:		
(a)	M1	Multiply out and attempt to differentiate, with at least one power decreasing
	A1	Correct expression
	M1	Equate their a to 0 and solve for t
	A1	cao
(b)	M1	Uses $v = 0$ to obtain a value of t
	M1	Attempt to integrate, with at least one power increasing
	A1	Correct expression
	M1	Substitute in their value of t , which must have come from using $v = 0$, into their s (must have integrated)
	A1	39 or better