Question	Scheme	Marks	AOs
5(a)	Using horizontal motion	M1	3.3
	Whole Motion **Half way**		
	$U\cos\alpha \times t = 120$ $U\cos\alpha \times t = 60$	A1	1.1b
	Using vertical motion **OR**	M1	3.4
	$U\sin\alpha \times t - \frac{1}{2}gt^2 = 0$ $0 = U\sin\alpha - gt$	A1	1.1b
	Attempt to solve problem by eliminating t	DM1	3.1b
	$U^2\sin\alpha\cos\alpha = 588$ *	A1*	2.2a
		(6)	
	N.B. No credit given if they use the given answer from (b).		
5(b)	Using vertical motion **OR** conservation of energy	M1	3.4
	$0^2 = (U\sin\alpha)^2 - 2g\times 10$ $\frac{1}{2}mU^2 - \frac{1}{2}m(U\cos\alpha)^2 = mg\times 10$	A1	1.1b
	ALTERNATIVE 1: If t is time to top: use of $10 = \frac{1}{2}gt^2$ oe ($t = \frac{10}{7}$) to obtain an equation in U and α only M1 $U\sin\alpha = 14$ or $U\cos\alpha = 42$ A1 **ALTERNATIVE 2:** If t is time to top: use of : $10 = U\sin\alpha\ t - \frac{1}{2}gt^2$ with $t = \frac{60}{U\cos\alpha}$ substituted to obtain an equation in U and α only : M1 $10 = U\sin\alpha \times \frac{60}{U\cos\alpha} - \frac{1}{2}g\left(\frac{60}{U\cos\alpha}\right)^2$ A1		
	Attempt to solve problem by eliminating α : e.g. $U\sin\alpha = 14$ => $U\cos\alpha = 42$, from part (a) or from using $t = \frac{10}{7}$, then square and add to give result **OR:** $U^2\sin^2\alpha = 20g = 196$ and $U^2\sin\alpha\cos\alpha = 588$, divide to give $\tan\alpha = \frac{1}{3}$ then $\sin^2\alpha = \frac{1}{10}$, hence result **OR in ALTERNATIVE 2**: sub for U^2 using part (a), to give $\tan\alpha = \frac{1}{3}$ then $\sin^2\alpha = \frac{1}{10}$, hence result	DM1	3.1b

	N.B. Just stating that $\sin^2\alpha = \frac{1}{10}$, with no working is DM0A0.		
	$U^2 = 1960$ *	A1*	2.2a
	N.B. Verification (i.e. starting with $U^2 = 1960$ and trying to work backwards) is not an acceptable method for this question.		
		(4)	
5(c)	V, since air resistance has to be overcome, or just 'because of <u>air resistance' isw</u>	B1	3.5a
		(1)	
5(d)	e.g. wind effects, more accurate value of *g*, spin of ball, size of ball, shape of ball, dimensions of ball, not a particle, variable acceleration, surface area of ball, humidity. Allow wind resistance and rotational resistance (Ignore any mention of air resistance or drag)	B1	3.5c
		(1)	
			(12 marks)

Notes:

5a		**N.B**. Could score 2/6 for any one of the 4 given equations if there is no corresponding second equation or there is an attempt but it's incorrect.
	M1	Complete method to give equation in U, α and t only, condone sin/cos confusion and sign errors, each term that needs to be resolved must be resolved
	A1	Correct equation
	M1	Complete method to give equation in U, α and t only, condone sin/cos confusion and sign errors, each term that needs to be resolved must be resolved
	A1	Correct equation
	DM 1	Eliminate t, dependent on first and second M1's
	A1*	Given answer correctly obtained, <u>with no wrong working seen.</u> Allow $588 = U^2 \sin\alpha\cos\alpha$ but nothing else
5b	M1	Complete method to give equation in U and α only with correct no. of terms, condone sin/cos confusion and sign errors, each term that needs to be resolved must be resolved
	A1	Correct equation
	DM 1	Eliminate α and rearrange, dependent on first M1
	A1*	Given answer correctly obtained with <u>no wrong working seen</u> (**N.B**. If they use a value for α (18.43.º.) they lose the final A1*)
5c	B1	Clear statement isw
5d	B1	B0 if there is an incorrect extra e.g. mass or weight